

Day : Monday  
Date: 1/29/2007

Time: 12:12:28

 **PALM INTRANET**

## Inventor Information for 10/507381

Inventor Name	City	State/Country
<u>KANAI, HIROSHI</u>	SENDAI-SHI	JAPAN
<u>KOIWA, YOSHIRO</u>	SENDAI-SHI	JAPAN
<u>TANAKA, MOTONAO</u>	SENDAI-SHI	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign](#)Search Another: Application#   or Patent#  PCT /  /   or PG PUBS #  Attorney Docket #  Bar Code #  

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20060150936 A1	US- PGPUB	20060713	Control device for multicylinder internal combustion engine	123/90.15		Tsunooka; Takashi et al.
US 20060147721 A1	US- PGPUB	20060706	Relector-use precoat metal plate	428/421		Ueda; Kohei et al.
US 20060147673 A1	US- PGPUB	20060706	Precoated metal plate for reflection plate	428/141	428/421	Ueda; Kohei et al.
US 20060147330 A1	US- PGPUB	20060706	Gasket for compressor	417/571		Kanai; Hiroshi et al.
US 20060110264 A1	US- PGPUB	20060525	Compressor	417/269		Hayashi; Sakae et al.
US 20060083628 A1	US- PGPUB	20060420	Swach plate type variable displacement compressor for supercritical refrigeration cycle	417/269	417/222.1	Kanai; Hiroshi et al.
US 20050244660 A1	US- PGPUB	20051103	Coated metal material capable of being welded which is excellent in corrosion resistance of worked zone	428/457	428/323; 428/423.1	Yuasa, Kensei et al.
US 20050233134 A1	US- PGPUB	20051020	Surface-treated metal, method for producing the same, exhaust component for two-wheeled vehicle or four-wheeled vehicle, and interior and exterior component for domestic appliance	428/328	428/447; 428/469	Kanai, Takao et al.
US 20050194788 A1	US- PGPUB	20050908	Control apparatus for internal combustion engine	290/40B	290/40C	Kanai, Hiroshi
US 20050169769 A1	US- PGPUB	20050804	Reciprocating compressor	417/269	417/222.1; 417/222.2; 417/313	Kanai, Hiroshi
US 20050151815 A1	US- PGPUB	20050714	Inkjet printer	347/102		Kanai, Hiroshi et al.
US 20050124881 A1	US- PGPUB	20050609	Ultrasonographic system and ultrasonography	600/437		Kanai, Hiroshi et al.
US 20050123745 A1	US- PGPUB	20050609	Titanium material having coating layer at its surface laminated glass including the same and process for producing them	428/332	156/106; 156/99; 427/331; 427/402; 428/469; 428/701; 428/702	Takahashi, Takehiro et al.□
US 20040260180	US- PGPUB	20041223	Tissue identifying method in ultrasonography and	600/449		Kanai, Hiroshi et al.

A1'			ultrasonograph			
US 20040249012 A1	US- PGPUB	20041209	Water-based coating composition curable with actinic energy ray, coated metallic material, and process for producing the same	522/83	428/423.1; 428/425.8; 522/76	Tanaka, Shigehiro et al.
US 20040121162 A1	US- PGPUB	20040624	Metal product surface-treated with alkali-soluble lubricating film exhibiting excellent formability and excellent film removal property being stable for a long time and independent of temperature for drying film	428/425.8		Yamaoka, Ikuro et al.
US 20040055571 A1	US- PGPUB	20040325	Control system and method for internal combustion engine with variable valve mechanism	123/406.29	123/406.45; 123/90.15	Hashizume, Akira et al.
US 20040035716 A1	US- PGPUB	20040226	Method and system for treating nitrogen-containing compound	205/645		Ikegami, Kazuo et al.
US 20040033909 A1	US- PGPUB	20040219	Metal product with excellent moldability surface-treated with alkali-soluble lubricant	508/138	508/143; 508/464	Yamaoka, Ikuro et al.
US 20030196482 A1	US- PGPUB	20031023	Diagnostic apparatus for an evaporated fuel system, and vehicle control apparatus for a vehicle equipped with the diagnostic apparatus	73/118.1	903/923; 903/941	Kanai, Hiroshi et al.
US 20030172912 A1	US- PGPUB	20030918	Diagnostic apparatus for an evaporated fuel system, and vehicle control apparatus for a vehicle equipped with the diagnostic apparatus	123/520	73/118.1; 903/923; 903/941	Kanai, Hiroshi et al.
US 20030019217 A1	US- PGPUB	20030130	Stirling refrigerator	62/6		Sekiya, Hiroshi et al.
US 20030009101 A1	US- PGPUB	20030109	Ultrasonic diagnostic apparatus	600/437		Sunagawa, Kazuhiro et al.
US 20020174850 A1	US- PGPUB	20021128	Control system for internal combustion engine and method	123/336	123/399; 123/406.23; 123/436; 123/90.15	Kanai, Hiroshi
US 20020160879 A1	US- PGPUB	20021031	Warm-up control apparatus and warm-up control method for internal combustion engine	477/110	123/406.53; 123/406.55	Kidokoro, Toru et al.
US 20020157639 A1	US- PGPUB	20021031	Control system and method of internal combustion engine	123/396	123/399; 123/442	Kidokoro, Toru et al.
US 20020124839	US- PGPUB	20020912	Method for detecting failure of injection fuel heaters of internal	123/690	123/549; 73/119A	Hiraku, Keizo et al.

A1			combustion engine			
US 20020098367 A1	US- PGPUB	20020725	Soluble lubricating surface-treated stainless steel sheet with excellent shapability for fuel tank and method for manufacturing fuel tank	428/457		Mori, Yoichiro et al.
US 20010042491 A1	US- PGPUB	20011122	Nonchromate metallic surface-treating agent, method for surface treatment, and treated steel material	106/14.44		Shimakura, Toshiaki et al.
US 20010032512 A1	US- PGPUB	20011025	Echo image forming apparatus and method	73/627	600/437	Ohtsuki, Shigeo et al.
US 7161258 B2	USPAT	20070109	Control apparatus for internal combustion engine	290/40R	123/519; 123/520; 123/521; 701/103	Kanai, Hiroshi
US 7114434 B2	USPAT	20061003	Reciprocating compressor	92/12.2	417/269; 92/153; 92/57; 92/71	Kanai, Hiroshi
US 6848422 B2	USPAT	20050201	Control system and method for internal combustion engine with variable valve mechanism	123/406.29	123/90.15	Hashizume, Akira et al.
US 6792929 B2	USPAT	20040921	Method for detecting failure of injection fuel heaters of internal combustion engine	123/690	123/549; 73/118.1; 73/119A	Hiraku, Keizo et al.
US 6770034 B2	USPAT	20040803	Ultrasonic diagnostic apparatus	600/443	600/437; 600/438; 600/454; 600/465	Sunagawa, Kazuhiro et al.
US 6769419 B2	USPAT	20040803	Diagnostic apparatus for an evaporated fuel system, and vehicle control apparatus for a vehicle equipped with the diagnostic apparatus	123/520	180/65.2; 73/118.1; 903/923; 903/941	Kanai, Hiroshi et al.
US 6732707 B2	USPAT	20040511	Control system and method for internal combustion engine	123/396	123/319; 123/399; 123/442	Kidokoro, Toru et al.
US 6730407 B2	USPAT	20040504	Soluble lubricating surface-treated stainless steel sheet with excellent shapability for fuel tank and method for manufacturing fuel tank	428/425.8	428/423.1; 428/544; 428/545	Mori, Yoichiro et al.
US 6694863 B1	USPAT	20040224	Swash plate compressor	92/71	92/169.1	Kanai, Hiroshi et al.
US 6691675 B2	USPAT	20040217	Warm-up control apparatus and warm-up control method for internal combustion engine	123/329	123/399; 123/406.5	Kidokoro, Toru et al.
US 6679230	USPAT	20040120	Diagnostic apparatus for an	123/520	73/118.1;	Kanai, Hiroshi

B2			evaporated fuel system, and vehicle control apparatus for a vehicle equipped with the diagnostic apparatus		903/923; 903/941	et al.
US 6675768 B2	USPAT	20040113	Control system for internal combustion engine and method	123/336	123/399; 123/406.23; 123/436; 123/90.15	Kanai; Hiroshi
US 6638224 B2	USPAT	20031028	Echo image forming apparatus and method	600/443	600/437	Ohtsuki; Shigeo et al.
US 6618368 B1	USPAT	20030909	Data gateway and method for relaying data	370/352	370/401	Tanigawa; Keiko et al.
US 6607587 B1	USPAT	20030819	Anticorrosive coating material and method of rust prevention	106/14.44	148/243; 427/372.2; 427/385.5; 428/425.8; 428/545; 524/140; 524/211; 524/539; 524/591; 524/839; 524/840	Kanai; Hiroshi et al.
US 6575146 B1	USPAT	20030610	Diagnostic apparatus for an evaporated fuel system, and vehicle control apparatus for a vehicle equipped with the diagnostic apparatus	123/520	73/118.1; 903/923; 903/941	Kanai; Hiroshi et al.
US 6546738 B2	USPAT	20030415	Stirling refrigerator	62/6	60/520; 74/18	Sekiya; Hiroshi et al.
US 6522024 B1	USPAT	20030218	Output state detector for internal combustion engine	290/40C	180/65.2; 322/16; 903/923; 903/940; 903/941; 903/942	Takaoka; Toshifumi et al.
US 6475300 B2	USPAT	20021105	Non-chromate metallic surface-treating agent, method for surface treatment, and treated steel material	148/247	106/14.41; 106/14.42; 106/14.44; 148/243; 427/328; 427/387; 427/409; 427/419.2; 428/472.1	Shimakura; Toshiaki et al.
US 6465114 B1	USPAT	20021015	-Zn coated steel material, ZN coated steel sheet and painted steel sheet excellent in corrosion resistance, and method of producing the same	428/659	148/264; 148/267; 427/433; 428/334; 428/335;	Honda; Kazuhiko et al.

					428/341; 428/450; 428/626; 428/679; 428/680; 428/926	
US 6368073 B1	USPAT	20020409	Swash plate compressor	417/269	92/71	Kanai; Hiroshi et al.
US 6334324 B1	USPAT	20020101	Expansion device	62/222		Muta; Shunji et al.
US 6321544 B1	USPAT	20011127	Refrigerating cycle	62/126	62/127; 62/129; 62/196.3; 62/197; 62/228.3	Kanai; Hiroshi et al.
US 6278195 B1	USPAT	20010821	Power output apparatus, engine controller, and methods of controlling power output apparatus and engine	290/40A	290/40B; 290/40C; 290/40D; 290/40F; 290/40R; 903/910; 903/912; 903/916; 903/923; 903/924; 903/940; 903/941; 903/942; 903/951	Yamaguchi; Katsuhiko et al.
US 6260367 B1	USPAT	20010717	Refrigerating cycle	62/197		Furuya; Shunichi et al.
US 6258031 B1	USPAT	20010710	Ultrasound diagnostic apparatus	600/443	600/447	Sunagawa; Kazuhiro et al.
US 6250099 B1	USPAT	20010626	Refrigerating device	62/473		Furuya; Shunichi et al.
US 6211888 B1	USPAT	20010403	Planar flow display method	345/440	345/419; 600/455	Ohtsuki; Shigeo et al.
US 6173569 B1	USPAT	20010116	Catalyst deterioration detecting apparatus for internal combustion engine	60/277	180/65.2; 180/65.3; 180/65.4; 60/274; 60/276; 60/285; 903/903; 903/905; 903/923; 903/941	Kusada; Masaki et al.
US 6131538 A	USPAT	20001017	Apparatus for controlling internal combustion engine in hybrid vehicle and method of	123/2	180/65.2; 73/116; 903/903;	Kanai; Hiroshi

			the same		903/922; 903/923; 903/924; 903/925; 903/941	
US 6095761 A	USPAT	20000801	Swash plate compressor	417/269		Kanai; Hiroshi et al.
US 6038521 A	USPAT	20000314	Quality test system for electric appliances	702/121	702/118; 702/122; 73/865.8; 73/865.9	Kanai; Hiroshi
US 6019027 A	USPAT	20000201	Refrigerant compressor	92/71	417/269; 92/153	Furuya; Shunichi et al.
US 5991683 A	USPAT	19991123	Power output apparatus and method of controlling the same	701/102	180/65.2; 180/65.6; 477/3; 60/716; 701/110; 903/903; 903/905; 903/910; 903/916; 903/923; 903/940; 903/941; 903/942; 903/943; 903/951	Takaoka; Toshifumi et al.
US 5969019 A	USPAT	19991019	Anticorrosive coating composition and anticorrosion treatment method	524/140	427/372.2; 427/385.5; 428/425.8; 428/545; 524/211; 524/539; 524/591; 524/839; 524/840	Kanai; Hiroshi et al.
US 5947903 A	USPAT	19990907	Method to estimate planar flow from Doppler velocity distribution in an observation plane	600/455	73/861.25	Ohtsuki; Shigeo et al.
US 5918583 A	USPAT	19990706	Air-fuel ratio control device for internal combustion engine	123/680		Fukumasu; Toshihiro et al.
US 5912891 A	USPAT	19990615	Virtual network system	370/395.51	370/395.53; 370/465	Kanai; Hiroshi
US 5875643 A	USPAT	19990302	Refrigeration cycle capacity enhancement apparatus	62/279	62/285; 62/513	Kanai; Hiroshi et al.
US 5840028 A	USPAT	19981124	Ultrasonic diagnostic equipment	600/437	600/450	Chubachi; Noriyoshi et al.
US 5824921	USPAT	19981020	Method and system for testing	73/865.8		Kanai; Hiroshi

A			performance of refrigeration units			
US 5775304 A	USPAT	19980707	High-pressure fuel injection system	123/497	123/357; 123/494	Kono; Hiromi et al.
US 5615926 A	USPAT	19970401	Chair with removable armrest	297/411.27	297/411.2; 403/320	Kanai; Hiroshi et al.
US 5588589 A	USPAT	19961231	Air conditioner	236/46R	165/267; 62/228.4; 62/231	Ishihara; Manabu et al.
US 5577486 A	USPAT	19961126	Fuel-injection control apparatus for an engine	123/674	123/686	Harima; Kenji et al.
US 5558072 A	USPAT	19960924	Apparatus for disposing of fuel-vapor	123/677	123/698	Harima; Kenji et al.
US 5546917 A	USPAT	19960820	Apparatus for disposing of fuel vapor	123/674	123/698	Osanai; Akinori et al.
US 5513898 A	USPAT	19960507	Chair with removable armrest	297/411.27	297/411.2	Kanai; Hiroshi et al.
US 5476081 A	USPAT	19951219	Apparatus for controlling air-fuel ratio of air-fuel mixture to an engine having an evaporated fuel purge system	123/478	123/480; 123/520	Okawa; Koji et al.
US 5384432 A	USPAT	19950124	Two-layered tape lead wire for magnetic head	174/117FF	174/117F; 174/268; 360/234.5	Noro; Tetsuya et al.
US 5368364 A	USPAT	19941129	Chair with armrests	297/411.27	297/440.1	Kanai; Hiroshi
US 5349862 A	USPAT	19940927	Apparatus for measuring the velocity of ultrasonic sound in terms of V(Z) characteristics and ultrasonic microscope using that apparatus	73/602	73/606	Chubachi; Noriyoshi et al.
US 5216639 A	USPAT	19930601	Method for processing a doppler signal	367/90		Ohtsuki; Shigeo et al.
US 5166288 A	USPAT	19921124	Coating composition for coating metal plate	525/443	525/437; 525/441; 525/509; 525/517.5	Kanai; Hiroshi et al.
US 5066757 A	USPAT	19911119	One-can heat-curable resin compositions and precoated metal	528/45		Miyabayashi; Shigeaki et al.
US 5018494 A	USPAT	19910528	Idling speed control device of an engine	123/339.12	123/339.24; 123/492; 123/493	Sonoda; Yukihiro et al.
US 5010528 A	USPAT	19910423	Doppler flow velocity distribution measuring apparatus	367/90	600/455; 73/861.25	Ohtsuki; Shigeo et al.
US 4992893 A	USPAT	19910212	Alignment disk for magnetic disk driving apparatus and method and apparatus for verifying tracking error of the	360/78.13	360/135; 360/75; 360/76; 360/77.04	Kanai; Hiroshi et al.



			magnetic disk driving apparatus			
US 4991559 A	USPAT	19910212	Fuel injection control device of an engine	123/682	123/492; 123/493	Osawa; Kouichi et al.
US 4981122 A	USPAT	19910101	Fuel injection control device of an engine	123/325	123/682	Osawa; Kouichi et al.
US 4976242 A	USPAT	19901211	Fuel injection control device of an engine	123/682		Sonoda; Yukihiro et al.
US 4970603 A	USPAT	19901113	Facsimile communication system	358/400	358/401; 358/434	Kanai; Hiroshi
US 4880891 A	USPAT	19891114	One-can thermosetting resin compositions and precoated metal	528/45	427/388.1; 427/388.2; 428/425.8	Miyabayashi; Shigeaki et al.
US 4880890 A	USPAT	19891114	One-can thermosetting resin compositions and precoated metal	528/45	428/425.8	Miyabayashi; Shigeaki et al.
US 4861672 A	USPAT	19890829	One-can heat-curable resin compositions and precoated metal	428/458	428/425.8; 428/480; 528/45	Miyabayashi; Shigeaki et al.
US 4826895 A	USPAT	19890502	Paint composition for under coating	523/443	528/108	Kanai; Hiroshi et al.
US 4797765 A	USPAT	19890110	Thin film magnetic head having solder-bonded protective plate	360/110	360/122; 360/126; 360/129	Ezaki; Joichiro et al.
US 4796140 A	USPAT	19890103	Removable disk construction	360/133	360/99.04; 369/282	Wakabayashi; Manabu et al.
US 4602601 A	USPAT	19860729	Method and apparatus for controlling idling speed of internal combustion engine	123/339.12	123/674; 123/677	Kanai; Hiroshi
US 4564877 A	USPAT	19860114	Magnetic recording/reproducing system with wide-gapped transducer and method for using same	360/119	360/114.01; 360/114.03; 360/114.05; 360/114.06; 360/122	Ezaki; Joichiro et al.
US 4562502 A	USPAT	19851231	Optical reproducing system	360/114.01	359/281; 360/114.03; 360/114.05; 360/114.06; 365/122	Ezaki; Joichiro et al.
US 4346686 A	USPAT	19820831	Idle controller for an internal combustion engine	123/339.11	123/339.17; 123/339.28; 123/389; 237/12.3R; 62/323.1	Wakita; Nobuaki et al.
US 3865100 A	USPAT	19750211	APPARATUS FOR MEASURING BLOOD PRESSURE	600/488	73/707	Kanai; Hiroshi et al.